*The journal of*
PROSTHETIC AND IMPLANT DENTISTRY
Official Publication of Indian Prosthodontic Society
Kerala State Branch

# DIGITAL IMPLANTOLOGY- ENHANCING PRECISION AND PREDICTABILITY

*Gopika S., ** Harsha Kumar K., ***Vivek V. Nair, ****Smitha Ravindran

*Postgraduate student, **Vice Principal, Professor, Head of the department, ***Professor, ****Assistant Professor, Department of Prosthodontics And Crown & Bridge, Govt. Dental College Thiruvananthapuram. Corresponding Author: Dr. Gopika S., Email: gopikasaug@gmail.com.

https://doi.org/10.55231/jpid.2026.v09.i02.07

## Abstract

*Digital implantology has revolutionized modern dental practice by integrating advanced technologies to enhance the precision, predictability, and efficiency of implant therapy. Conventional implant procedures, though effective, are often limited by subjective decision-making, two-dimensional imaging, and manual inaccuracies. The advent of digital workflows including cone-beam computed tomography (CBCT), intraoral scanning, computer-aided design and manufacturing (CAD/CAM), 3D printing, and guided surgery has transformed diagnosis, treatment planning, surgical execution, and prosthetic rehabilitation. Advanced technologies such as dynamic navigation, robotic-assisted implant placement, artificial intelligence (AI), machine learning, augmented and virtual reality (AR/VR), patient-specific implants, and smart implants with digital monitoring are further enhancing clinical outcomes by enabling prosthetically driven, minimally invasive, and highly personalized interventions. These innovations improve surgical accuracy, reduce complications, optimize soft tissue and bone management, and facilitate immediate or predictable loading protocols. Moreover, digital implantology supports interdisciplinary collaboration, improves patient understanding through visualization, and reduces operative and restorative time. As the field continues to evolve, integration of AI, robotics, and smart monitoring is expected to further refine treatment strategies, enabling real-time decision-making and personalized care. Digital implantology thus represents a paradigm shift toward highly precise, predictable, and patient-centred dental implant therapy.*

***Keywords: Digital implantology, guided surgery, CAD/CAM, dynamic navigation, robotic-assisted implant placement, patient-specific implants, artificial intelligence, precision, predictability.***

## INTRODUCTION

The digital revolution has reshaped clinical practice across dentistry, with implantology being one of the most profoundly affected fields. Over the years, advancements in digital dentistry have evolved from experimental applications into routine clinical protocols, drawing increasing interest from dental professionals worldwide. The origins of computer-aided design and computer-aided manufacturing (CAD/CAM) in dentistry can be traced back to the pioneering work of Dr. Patrick J. Hanratty, often regarded as the "Father of CAD/CAM," and the subsequent developments by Dr. François Duret in the 1980s, who introduced optical impressions and laid the foundation for CAD/CAM applications in restorative dentistry. This innovation was further advanced through the contributions of Mörmann et al. (1989), Preston (1990s), and Andersson et al. (1996), whose research collectively established digital dentistry as a viable clinical discipline[1].

Cone-beam computed tomography (CBCT) has emerged as a cornerstone of the transformation, from conventional two-dimensional diagnostic methods to advanced three-dimensional (3D) approaches; offering three-dimensional visualisation of the maxillofacial structures while reducing radiation exposure compared with conventional computed tomography. The use of surgical navigation systems and surgical guides has further enhanced the accuracy of implant placement, ensuring safety, predictability, and preservation of surrounding anatomical structures. Collectively, CBCT, intraoral scanning, and CAD/CAM technologies have redefined implant workflows, allowing clinicians and laboratory personnel to work collaboratively towards prosthetically driven and predictable patient rehabilitation.

In addition to clinical accuracy, digital implantology also fosters effective communication between the dental team and the patient. Virtual simulations and digital mock-ups provide patients with a clear visualization of their treatment outcomes, thereby improving case acceptance and overall patient confidence. Furthermore, the efficiency of digital workflows reduces chairside time, minimizes laboratory errors, and promotes a more seamless transition from planning to final restoration.

With the continuous development of artificial intelligence (AI) and machine learning algorithms, the future of digital implantology holds even greater promise. These innovations are expected to further refine predictive analytics, enhance surgical precision, and personalize treatment protocols to an unprecedented degree.

Thus, digital implantology represents not merely an adjunct to conventional implant therapy but a transformative approach that integrates precision, predictability, and patient-centered care. This article aims to explore the advancements, clinical applications, and future perspectives of digital implantology, highlighting its role in enhancing treatment outcomes and shaping the future of dental implant practice.

## COMPONENTS OF DIGITAL IMPLANTOLOGY

Digital implantology is built on the integration of several advanced technologies that work in synergy to enhance diagnostic precision, treatment planning, surgical execution, and prosthetic rehabilitation. Each component plays a crucial role in ensuring predictable outcomes.

### 1. Cone-Beam Computed Tomography (CBCT)

CBCT is considered the cornerstone of digital implantology. Unlike conventional two-dimensional radiographs, CBCT provides three-dimensional imaging of the maxillofacial structures, offering detailed visualization of bone morphology, density, and proximity to vital anatomical landmarks such as the inferior

alveolar nerve, maxillary sinus, and nasal cavity. This comprehensive imaging aids in evaluating implant sites accurately, detecting potential risks, and minimizing intraoperative complications. The ability to superimpose CBCT data with digital scans creates a complete virtual representation of the patient's oral environment, forming the foundation of digital planning workflows.

### 2. Intraoral Scanners and Digital Impressions

Intraoral scanners have replaced conventional impression materials in many clinical situations, eliminating inaccuracies caused by distortion, shrinkage, or patient discomfort. Digital impressions capture highly precise surface details of teeth, soft tissues, and occlusal relationships, which can be directly integrated into virtual implant planning software. These scans also facilitate better communication between clinicians and laboratories, streamline the design of prosthetic components, and allow patients to visualize treatment outcomes through digital mock-ups.

### 3. Virtual Implant Planning Software

Computer-aided planning software enables clinicians to virtually plan implant placement based on prosthetically driven principles. By combining CBCT data with intraoral scans, these platforms allow for accurate simulation of implant angulation, depth, and diameter according to restorative requirements and anatomical limitations. Virtual planning minimizes human error, ensures optimal biomechanical load distribution, and enhances esthetic predictability. Furthermore, clinicians can evaluate multiple treatment options digitally before executing the procedure, thereby personalizing treatment plans to each patient's unique needs.

### 4. Surgical Guides and 3D Printing

One of the most transformative components of digital implantology is the use of surgical guides fabricated through 3D printing. These guides are created based on virtual planning data and serve as physical templates that direct the exact position, angle, and depth of the drill during surgery. Guided surgery translates digital plans into clinical reality with high accuracy, reducing deviations between planned and actual implant positions. This approach allows for minimally invasive, flapless procedures, leading to reduced surgical trauma, faster healing, and improved patient comfort. The affordability and accessibility of 3D printing have further expanded its clinical applications.

### 5. Computer-Aided Design and Computer-Aided Manufacturing (CAD/CAM)

CAD/CAM technology plays a critical role in the restorative phase of digital implantology. It enables the fabrication of customized implant abutments, crowns, bridges, and full-arch frameworks with unmatched precision. CAD software is used to design prosthetic components, while CAM systems manufacture them from high-strength materials such as zirconia, titanium, or hybrid ceramics. Customized CAD/CAM abutments enhance soft tissue adaptation, improve esthetics, and ensure long-term functional stability. Additionally, the digital design process reduces laboratory errors, shortens turnaround time, and enhances communication between clinicians and technicians.

### 6. Digital Workflow Integration

The integration of all these components into a unified digital workflow is what truly defines digital implantology. From the initial diagnostic stage with CBCT and intraoral scans, to virtual planning, guide fabrication, surgical execution, and CAD/CAM restorations, each step is interconnected. This seamless flow ensures greater accuracy, reduces manual errors, and

enhances efficiency. Moreover, digital workflows facilitate better interdisciplinary collaboration among prosthodontists, oral surgeons, periodontists, and dental technicians, leading to holistic and predictable treatment outcomes.

## DIGITAL WORKFLOW STEPS

### 1. Comprehensive Case Assessment

The process begins with a thorough clinical and radiographic examination. Digital records, including CBCT scans and intraoral scans, are obtained to evaluate bone quality, volume, occlusion, and soft tissue conditions. These digital datasets provide the foundation for prosthetically driven implant planning and help identify any limitations such as inadequate bone, anatomical risks, or esthetic challenges.

### 2. Digital Impression and Data Acquisition

Accurate digital impressions are captured using intraoral scanners, eliminating the need for conventional impression materials. These impressions are merged with CBCT data to create a three-dimensional virtual model of the patient's oral cavity. This integrated dataset serves as the platform for precise treatment simulation and planning.

Figure 1. Types of surgical guides used in implant dentistry

### 3. Virtual Implant Planning

Using specialized implant planning software, clinicians virtually determine the ideal implant size, angulation, and position based on prosthetic requirements and anatomical constraints. The software allows simulation of multiple treatment options, ensuring optimal biomechanical load distribution and esthetic outcomes. This stage also enables interdisciplinary collaboration between surgeons, prosthodontists, and technicians before any surgical intervention is performed.

### 4. Fabrication of Surgical Guides

Once the virtual plan is finalized, the data is transferred to 3D printers or milling machines to fabricate surgical guides. These guides act as templates that accurately transfer the virtual implant positions into the patient's mouth during surgery. Depending on the case, fully guided, partially guided, or pilot-drill guided templates may be fabricated.

### 5. Guided Implant Surgery

The surgical guide is placed intraorally to direct the drilling sequence and implant placement according to the pre-approved digital plan. Guided surgery enhances precision, reduces deviations between planned and actual implant positions, and minimizes surgical trauma. In many cases, flapless surgery can be performed, which decreases morbidity, accelerates healing, and improves patient comfort.

### 6. Digital Prosthetic Phase

Following implant placement, digital impressions can be taken to design customized abutments and prosthetic restorations using CAD software. CAD/CAM systems then fabricate crowns, bridges, or full-arch prostheses with high accuracy. This ensures excellent marginal fit, optimal occlusion, and superior esthetic outcomes. In cases of immediate loading, provisional restorations can be fabricated prior to surgery and placed immediately after implant insertion.

### 7. Quality Control and Verification

Digital workflows also allow clinicians to verify the accuracy of surgical and prosthetic outcomes through postoperative CBCT scans or digital scans. This ensures that implants are placed in the correct position and that restorations meet both functional and esthetic goals.




Figure 2. Digital workflow for computer-guided implant surgery

### 8. Long-term Monitoring and Maintenance

Digital records serve as a baseline for monitoring implant health over time. Follow-up CBCT or intraoral scans can be compared with initial data to assess bone stability, peri-implant tissue health, and occlusal dynamics. With ongoing advancements, the integration of AI and smart implant sensors may further enhance the monitoring of peri-implant conditions in real time.

## CLINICAL APPLICATIONS

The incorporation of digital workflows into implantology has wide-ranging clinical implications:

- **Accurate Case Assessment and Treatment Planning:** Digital tools provide clinicians with the ability to assess bone volume, soft tissue profiles, and occlusal dynamics comprehensively, ensuring individualized treatment strategies.
- **Minimally Invasive Implant Placement:** Guided surgery allows for flapless approaches, reducing morbidity, preserving soft tissue architecture, and enhancing esthetics.
- **Immediate Loading Protocols:** Digital workflows make it possible to fabricate provisional restorations prior to surgery, allowing immediate implant loading with high predictability.
- **Full-arch Rehabilitation:** Advanced planning software combined with guided surgery has made complex treatments such as All-on-4 or All-on-6 more predictable and reproducible.
- **Improved Communication and Education:** Virtual simulations and digital mock-ups enhance patient understanding and acceptance, while also facilitating interdisciplinary communication among dental professionals.

## FUTURE TRENDS IN DIGITAL IMPLANTOLOGY

The future of digital implantology is promising, with several emerging trends poised to further refine and redefine clinical practice:

- **Artificial Intelligence (AI) and Machine Learning[2]:** are transforming digital implantology by enhancing diagnosis, treatment planning, and outcome prediction. AI algorithms can analyse CBCT scans, suggest optimal implant positions, and predict potential complications, reducing human error and improving precision. By integrating AI into digital workflows, clinicians can deliver more personalized, efficient, and predictable implant treatments.
- **Robotics in Implant Placement[3]:** Robotic implantology integrates preoperative digital planning with real-time surgical execution. CBCT scans and intraoral scans are used to create a virtual 3D model of the patient's anatomy, which guides the robotic system during surgery. The robot assists the surgeon by controlling drill angulation, depth, and trajectory according to the pre-planned parameters, while still allowing the clinician to maintain supervision and make intraoperative adjustments if necessary.
- **Smart Implants and Digital Monitoring[4]:** Smart implants integrate sensors and digital technologies to monitor parameters such as osseointegration, load distribution, and peri-implant tissue health in real time. These implants provide clinicians with continuous data, enabling early detection of

complications, predictive maintenance, and personalized adjustments. By combining digital monitoring with AI analytics, smart implants enhance treatment predictability, long-term success, and patient-centered care.

- **Augmented Reality (AR) and Virtual Reality (VR)[5]:** AR and VR are emerging technologies that enhance visualization and planning in implant dentistry. AR overlays digital implant plans onto the patient's anatomy in real time, guiding surgeons during procedures, while VR allows immersive pre-surgical simulations and training. These tools improve surgical accuracy, reduce errors, and serve as effective educational platforms, ultimately contributing to more predictable and efficient implant outcomes.

- **Personalized Medicine in Implantology:** Advances in biomaterials, digital prosthetics, and genetic profiling may enable patient-specific implant designs and regenerative protocols tailored to individual biological responses.

- **Advanced Dynamic Navigation in Digital Implantology[6]:** This technology functions similarly to a global positioning system (GPS), continuously monitoring the position of surgical instruments relative to the patient's anatomy and providing instant feedback to the clinician. Dynamic navigation systems integrate preoperative CBCT scans with intraoral data to create a virtual three-dimensional model of the surgical field. Using an optical tracking camera and reference markers placed on the patient and handpiece, the system monitors the position, angulation, and depth of the drill in real time. The surgeon visualizes these parameters on a screen, ensuring that the drill trajectory aligns precisely with the planned implant position.

- **Patient-specific implants (PSIs)[7]:** are custom-designed using CBCT imaging and CAD/CAM technology to match a patient's unique anatomy and occlusal requirements. By providing precise fit and prosthetic-driven placement, PSIs enhance primary stability, allow minimally invasive surgery, and improve esthetic and functional outcomes, particularly in complex or anterior cases.

## DISCUSSION

Tooth loss continues to be a major oral health burden, with dental caries and periodontal disease being the primary etiological factors. The consequences of tooth loss extend beyond mastication, often affecting speech, aesthetics, self-confidence, and overall oral health-related quality of life (OHRQoL)[8]. Prosthetic rehabilitation therefore becomes essential to restore both function and quality of life. Among the available prosthetic options, dental implants often referred to as the "third dentition" have established themselves as the treatment modality of choice. This preference is not only supported by clinicians, owing to their predictability and long-term success, but also by patients, due to greater awareness, extended life expectancy, and the expectation of treatments that offer improved comfort and quality of life. Over the years, dental implants have largely replaced removable and conventional fixed prosthodontics, establishing themselves as the gold standard for tooth replacement in contemporary dentistry.

The integration of digital technologies into dentistry has further advanced the field of implantology, giving rise to what is now termed "digital implantology"[9]. This evolution has been transformative, as the incorporation

of digital tools particularly those related to scanning, designing, and milling has redefined conventional workflows. The structured implant prosthetic digital workflow now represents the core of digital implantology, allowing for systematic planning and execution. It is employed in every stage of diagnosis, treatment planning, and final rehabilitation. This approach is not only more streamlined than analogue methods but also more accurate, efficient, and predictable. The shift from analogue to partial and fully digital workflows illustrates a paradigm change, making digital methods central to modern implant dentistry.

One of the pivotal breakthroughs has been the introduction of three-dimensional radiographic modalities, most notably cone-beam computed tomography (CBCT). Unlike traditional two-dimensional imaging or conventional computed tomography, CBCT allows for a highly accurate visualisation of bone volume, density, and anatomical landmarks while exposing the patient to a relatively lower radiation dose and requiring shorter scanning times[10]. CBCT has thus become indispensable for pre-operative planning and evaluation, enabling clinicians to precisely assess implant sites while safeguarding adjacent structures such as the maxillary sinus, inferior alveolar nerve, and adjacent teeth[11]. Nonetheless, CBCT is not without limitations; metal artefacts can impair image quality, and its capacity to accurately capture fine surface details remains debated[12]. Even so, CBCT has become the diagnostic gold standard for implantology, often used alongside intraoral, extraoral, and facial scanners.

The incorporation of intraoral and extraoral optical scanning has revolutionised data acquisition for implant planning. Intraoral scanners, in particular, enable highly accurate digital impressions of the oral cavity, eliminating many of the shortcomings of conventional impression techniques. With the rise in patient preference for faster, more comfortable, and minimally invasive approaches, intraoral scanning has gained significant clinical acceptance. Furthermore, the advent of facial scanners allows integration of soft-tissue and aesthetic parameters into the planning process, broadening the scope of prosthetically driven treatment[13]. These technologies collectively ensure meticulous data capture, which forms the foundation of virtual treatment planning.

Virtual implant planning and three-dimensional simulations represent another cornerstone of digital implantology. Following the acquisition of intraoral scans, specialised software allows clinicians to perform prosthetically driven implant planning through digital wax-ups, 3D simulations, and restorative space assessments[14]. Such tools facilitate precise evaluation of bone volume, density, and proximity to vital structures. Moreover, they allow for virtual implant placement and planning of implant dimensions prior to surgery, thereby minimising intraoperative uncertainty. This "restorative-driven" or "Go Guided" approach has significantly improved treatment predictability[15].

Surgical templates or guides are integral to transferring the virtual plan into clinical reality. Fabricated using additive manufacturing (3D printing via stereolithography) or subtractive manufacturing (CAD/CAM milling), guides assist in accurate positioning, angulation, and depth control during implant placement16. The accuracy of these templates is influenced by the manufacturing method and device used, with milled guides generally showing higher precision but at a higher cost. Importantly, surgical guides are not limited to conventional implants but also aid in more complex procedures such as basal and zygomatic implant placement. Guides

may be classified into static and dynamic systems[17]. Static guides, once fabricated, offer no intraoperative flexibility, whereas dynamic navigation systems provide real-time guidance and intraoperative adaptability, with studies indicating superior accuracy compared to both static guides and freehand methods[18].

The benefits of surgical guidance extend beyond accuracy. Guided protocols enable minimally invasive flapless surgery, reduce chairside time, and improve patient comfort and post-operative recovery. They also simplify prosthetic rehabilitation, as implant positioning is optimised for prosthetic outcomes. By reducing intraoperative guesswork, guided systems contribute to predictable long-term success and lower complication rates, both mechanical and biological. However, guided workflows require familiarity with digital systems, adherence to a learning curve, and recognition of possible deviations between planned and achieved implant positions[19].

Beyond surgery, digital workflows extend into monitoring and prosthetic phases. Osseointegration monitors, such as resonance frequency analysis, allow non-invasive evaluation of implant stability, helping clinicians decide on appropriate loading protocols and prosthetic timing. Following healing, digital impressions with scan bodies have emerged as the preferred method for capturing implant position and angulation. Compared with conventional impressions, digital impressions provide greater accuracy, patient comfort, and efficiency. In cases of multiple implants or full-arch restorations, challenges such as linear or angular deviations may occur; however, combining digital and conventional methods (e.g., scannable elastomers with lab scanners) can help achieve optimal results.

Laboratory workflows have also undergone transformation. Once digital impressions are captured, data can be securely transferred to laboratories via web portals, where customised abutments and prostheses are designed using CAD software. Fabrication may be performed through subtractive milling or additive rapid prototyping[20], both of which reduce the number of steps compared with conventional workflows, leading to greater efficiency and fewer opportunities for error. The integration of these technologies ensures highly individualised abutments, improved tissue support, and precise prosthesis fit.

Finally, occlusiona critical determinant of implant longevityhas also benefited from digitisation. Conventional implant-protective occlusion concepts have been refined using digital tools such as T-Scan, which provides computer-aided occlusal analysis. This technology allows clinicians to detect highand low-pressure zones with precision, enabling adjustment of occlusion to minimise mechanical overload on implants and thereby improve long-term success rates[21].

Collectively, these advances highlight the transformative impact of digitisation on implantology. From diagnosis with CBCT and intraoral scanning to virtual planning, surgical guidance, osseointegration monitoring, digital impressions, CAD/CAM prostheses, and digital occlusion analysis, each stage of treatment has been refined. The resulting workflow offers superior accuracy, reduced chairside time, improved patient comfort, and predictable long-term outcomes[22]. While limitations remainsuch as learning curves, manufacturing inaccuracies, and cost considerationsthe broad applications and clinical benefits of digital implantology demonstrate that it has fundamentally reshaped modern dental practice.

## CONCLUSION

Digital implantology is no longer a futuristic concept but a present-day reality that is continuously evolving. By integrating imaging, planning, surgical, and restorative workflows into a seamless digital chain, it offers clinicians enhanced precision, improved predictability, and superior patient outcomes. As technologies such as AI, robotics, and smart biomaterials advance, digital implantology is set to play an even more transformative role in shaping the future of dental implant practice.

## REFERENCES

1. (PDF)Digital dental implantology – The cutting edge implantology: A comprehensive review [Internet]. [cited 2025 Oct 3]. Available from: https://www.researchgate.net/publication/359290339_Digital_dental_implantology_-_The_cutting_edge_implantology_A_comprehensive_review
2. Altalhi AM, Alharbi FS, Alhodaithy MA, Almarshedy BS, Al-saaib MY, Al jfshar RM, et al. The Impact of Artificial Intelligence on Dental Implantology: A Narrative Review. Cureus. 15(10):e47941.
3. Liu C, Liu Y, Xie R, Li Z, Bai S, Zhao Y. The evolution of robotics: research and application progress of dental implant robotic systems. Int J Oral Sci. 2024 Apr 8;16:28.
4. Beyond Tissue replacement: The Emerging role of smart implants in healthcare - PMC [Internet]. [cited 2025 Oct 4]. Available from: https://pmc.ncbi.nlm.nih.gov/articles/PMC10507164/
5. Lin PY, Chen TC, Lin CJ, Huang CC, Tsai YH, Tsai YL, et al. The use of augmented reality (AR) and virtual reality (VR) in dental surgery education and practice: A narrative review. Journal of Dental Sciences. 2024 Dec 1;19:S91–101.
6. Pellegrino G, Ferri A, Del Fabbro M, Prati C, Gandolfi MG, Marchetti C. Dynamic Navigation in Implant Dentistry: A Systematic Review and Meta-analysis. Int J Oral Maxillofac Implants. 2021;36(5):e121–40.
7. Romito GA, Hassan MA, de Castro Galvão Corrente MN, Aoun JD, Sapata VM, Nishyama R, et al. Early Placement of Patient-Specific One-Piece Drill-Free Fully Digital Designed Dental Implants: A Feasibility Study. J Clin Periodontol. 2025 Oct;52(10):1374–85.
8. Comparison of the accuracy of Biomet 3i Encode Robocast Technology and conventional implant impression techniques - PubMed [Internet]. [cited 2025 Oct 3]. Available from: https://pubmed.ncbi.nlm.nih.gov/23377070/
9. T J, M F, Go G, Jg W, U B. Digital technology in fixed implant prosthodontics. Periodontology 2000 [Internet]. 2017 Feb [cited 2025 Oct 3];73(1). Available from: https://pubmed.ncbi.nlm.nih.gov/28000274/
10. S K, Ji N, Ch H, Kw L. Displacement of implant components from impressions to definitive casts. The International journal of oral & maxillofacial implants [Internet]. 2006 Oct [cited 2025 Oct 3];21(5). Available from: https://pubmed.ncbi.nlm.nih.gov/17066636/
11. S L, J B, W H, P M. The "UCLA" abutment. The International journal of oral & maxillofacial implants [Internet]. 1988 Fall [cited 2025 Oct 3];3(3). Available from: https://pubmed.ncbi.nlm.nih.gov/3074050/
12. The restoration of improperly inclined osseointegrated implants - PubMed [Internet]. [cited 2025 Oct 3]. Available from: https://pubmed.ncbi.nlm.nih.gov/2599586/
13. Ma T, Nicholls JI, Rubenstein JE. Tolerance measurements of various implant components. Int J Oral Maxillofac Implants. 1997;12(3):371–5.
14. Mahn DH, Prestipino T. CAD/CAM implant abutments using coded healing abutments: a detailed description of the restorative process. Compend Contin Educ Dent. 2013 Sep;34(8):612–5.
15. Michalakis KX, Asar NV, Kapsampeli V, Magkavali-Trikka P, Pissiotis AL, Hirayama H. Delayed linear dimensional changes of five high strength gypsum products used for the fabrication of definitive casts. J Prosthet Dent. 2012 Sep;108(3):189–95.
16. Schubert O, Schweiger J, Stimmelmayr M, Nold E, Güth JF. Digital implant planning and guided implant surgery - workflow and reliability. Br Dent J. 2019 Jan 25;226(2):101–8.
17. Nkenke E, Eitner S, Radespiel-Tröger M, Vairaktaris E, Neukam FW, Fenner M. Patient-centred outcomes comparing transmucosal implant placement with an open approach in the maxilla: a prospective, non-randomized pilot study. Clin Oral Implants Res. 2007 Apr;18(2):197–203.
18. Persson ASK, Andersson M, Odén A, Sandborgh-Englund G. Computer aided analysis of digitized dental stone replicas by dental CAD/CAM technology. Dent Mater. 2008 Aug;24(8):1123–30.
19. Priest G. Virtual-designed and computer-milled implant abutments. J Oral Maxillofac Surg. 2005 Sep;63(9 Suppl 2):22–32.
20. Schepke U, Meijer HJA, Kerdijk W, Cune MS. Digital versus analog complete-arch impressions for single-unit premolar implant crowns: Operating time and patient preference. J Prosthet Dent. 2015 Sep;114(3):403-406.e1.
21. Torrance GW, Feeny D, Furlong W. Visual analog scales: do they have a role in the measurement of preferences for health states? Med Decis Making. 2001;21(4):329–34.
22. Accuracy of computer-aided implant placement - PubMed [Internet]. [cited 2025 Oct 4]. Available from: https://pubmed.ncbi.nlm.nih.gov/23062136/